

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 1 340 778 A1

(12) EUROPEAN PATENT APPLICATION **10/532136**

(43) Date of publication:

03.09.2003 Bulletin 2003/36

(51) Int Cl.7: C08G 63/06, C12P 7/62

(21) Application number: 03004350.9

(22) Date of filing: 28.02.2003

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT SE SI SK TR

Designated Extension States:

AL LT LV MK RO

(30) Priority: 28.02.2002 JP 2002054897

13.12.2002 JP 2002362962

14.02.2003 JP 2003037322

(71) Applicant: CANON KABUSHIKI KAISHA

Tokyo (JP)

(72) Inventors:

- Honma, Tsutomu
Ohta-ku, Tokyo (JP)

- Sugawa, Etsuko
Ohta-ku, Tokyo (JP)
- Yano, Tetsuya
Ohta-ku, Tokyo (JP)
- Imamura, Takeshi
Ohta-ku, Tokyo (JP)
- Kenmoku, Takashi
Ohta-ku, Tokyo (JP)
- Fukui, Tatsuki
Ohta-ku, Tokyo (JP)

(74) Representative: Weser, Wolfgang, Dr. Dipl.-Phys.

Weser & Kollegen,
Patentanwälte,
Radeckestrasse 43
81245 München (DE)

(54) Polyhydroxyalkanoates containing a vinylphenyl structure in their side chain and method of manufacturing the same

(57) A polyhydroxyalkanoate (PHA) having a desired configuration is produced using a raw material containing ω -(4-vinylphenyl)-alkanoic acid and ω -substituted alkanoic acid in which a group having a ring structure selected from phenyl, thienyl, and cyclohexyl structures substitutes therefor on the end thereof by producing a PHA copolymer containing the corresponding

3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit and the corresponding 3-hydroxy- ω -substituted alkanoate unit by making use of a microorganism capable of producing the PHA or by oxidizing a predetermined portion of the corresponding PHA.

EP 1 340 778 A1

Description**BACKGROUND OF THE INVENTION**5 **Field of the Invention**

[0001] The present invention relates to a polyhydroxyalkanoate copolymer that contains a novel unit, and a method of manufacturing the same utilizing microorganisms.

10 **Related Background Art**

[0002] Heretofore, it has been reported that many microorganisms produce poly-3-hydroxybutyrate (PHB) or other polyhydroxyalkanoate (PHA) and accumulate the products in their microbial bodies ("Biodegradable Plastics Handbook", Biodegradable Plastics Society, Ed., pp. 178-197, (1995) published by NTS Co., Ltd., JAPAN). Polymers such as PHA produced by microorganisms can be used for manufacturing various kinds of products by melting process and so on just as in the case of the conventional plastics. Furthermore, polymers such as PHA produced by microorganisms are biodegradable, so that there is an advantage in that they can be completely decomposed by microorganisms in nature. Therefore, PHA or the like originated from microorganisms has no tendency to remain as it is in the natural environment when it is disposed. It means that it will not become a factor of causing environmental pollution while many of the conventional synthetic polymer compounds become factors thereof. Furthermore, the microorganism-produced PHA has an excellent biocompatibility in general, so that it has been expected that it would be used in many applications such as a medical soft structural member.

[0003] It has been also known that the microorganism-produced PHA would have various compositions and configurations depending on the species of microorganisms used in the production, the formulations of culture media, culture conditions, and so on. Up to now, from the viewpoint of mainly improving the physical properties of PHA, studies on control of the composition and configuration of the microorganism-produced PHA have been carried out.

[0004] As one of the studies which have been made aiming at controlling the composition or configuration of the microorganism-produced PHA, in recent years, the attempts to produce PHA having an aromatic ring in its unit from a microorganism have been extensively conducted.

[0005] In each of "Makromol. Chem.", 191, 1957-1965 (1990) and "Macromolecules", 24, 5256-5260 (1991), it is reported that *Pseudomonas oleovorans* uses 5-phenyl-valeric acid as a substrate to produce PHA that contains 3-hydroxy-5-phenyl-valerate as a unit thereof. In "Macromolecules", 29, 1762-1766 (1996), it is reported that *Pseudomonas oleovorans* uses 5-(p-tolyl)-valeric acid as a substrate and produces PHA that contains 3-hydroxy-5-(p-tolyl)-valerate as a unit thereof. In "Macromolecules", 32, 2889-2895 (1999), furthermore, it is reported that *Pseudomonas oleovorans* uses 5-(2,4-dinitrophenyl)-valeric acid as a substrate to produce PHA that contains two different units: 3-hydroxy-5-(2,4-dinitrophenyl)-valerate and 3-hydroxy-5-(p-nitrophenyl)-valerate. Furthermore, in "Macromol. Chem. Phys.", 195, 1665-1672 (1994), it is reported that *Pseudomonas oleovorans* uses 11-phenoxy-undecanoic acid as a substrate to produce a PHA copolymer that contains two different units: 3-hydroxy-5-phenoxy-valerate and 3-hydroxy-9-phenoxy-nonanoate.

[0006] Furthermore, JP 2989175 B discloses the invention relating to: a homopolymer that contains a unit of 3-hydroxy-5-(monofluorophenoxy)-pentanoate (3H5(MFP)P) or a unit of 3-hydroxy-5-(difluorophenoxy)-pentanoate (3H5(DFP)P); a copolymer that contains at least the 3H5(MFP)P unit or the 3H5(DFP)P unit; *Pseudomonas putida* having the abilities of producing these polymers; and a method of manufacturing the above polymers using genus *Pseudomonas*. In addition, Japanese Patent Publication No. 2989175 describes as an effect of the invention that a polymer that contains a unit obtained by the substitution of phenoxy groups having one or two substituted fluorine atoms on the end of a side chain can be synthesized by utilizing long-chain fatty acids having substituents. In addition, it is also described that such a polymer keeps a good processability in addition to its high melting point, and further described that such a polymer can be provided with stereoregularity and water repellency.

[0007] In addition to the study of PHA that contains in its structural unit a fluorine-substituted aromatic ring group with a fluorine substituent on its aromatic ring, the study of PHA that contains in its structural unit a substituted aromatic ring group having a substituted cyano or nitro group on its aromatic ring is reported.

[0008] Furthermore, "Can. J. Microbiol.", 41, 32-43 (1995) and "Polymer International", 39, 205-213 (1996) report the production of PHA that contains a monomer unit of 3-hydroxy-6-(p-cyanophenoxy)-hexanoate or 3-hydroxy-6-(p-nitrophenoxy)-hexanoate from *Pseudomonas oleovorans* ATCC29347 strain and *Pseudomonas putida* KT2442 strain using octanoic acid and 6-(p-cyanophenoxy)-hexanoic acid or 6-(p-nitrophenoxy)-hexanoic acid as substrates, respectively.

[0009] These PHAs, which contain units having aromatic rings with substituents thereon, keep their own polymer properties derived from the aromatic rings, such as high glass-transition temperatures and good processabilities. In

addition, these PHAs are provided with additional functions derived from the substituents on the aromatic rings. Therefore, the PHAs become multi-functional PHAs.

[0010] On the other hand, for preparing multi-functional PHA by introducing any functional group into the side chain of the produced polymer by a chemical conversion using the vinyl group, studies have been also extensively conducted on the basis of PHA that contains a structural unit having a vinyl group on its side chain.

[0011] In "Polymer", 41, 1703-1709 (2000), it is reported that polyester having a hydroxyl group on its side chain is produced by producing polyester having a vinyl group on its side chain using *Pseudomonas oleovorans* and oxidizing the vinyl group in the molecule of the polyester.

[0012] Similarly, in "Macromolecules", 31, 1480-1486 (1998), reported is the production of polyester having an epoxy group on its side chain by producing polyester having a vinyl group on its side chain using *Pseudomonas oleovorans* and epoxidizing the vinyl group.

[0013] In "Polymer", 40, 3787-3793 (1999), furthermore, polymer having an epoxy group on its side chain, which is obtained by the same method as described above, is subjected to a crosslinking reaction by heating it together with hexamethylene diamine. In this document, such a reaction and the results of analyzing the reaction product are reported.

[0014] Furthermore, in "Polymer", 35, 2090-2097 (1994), reported is the study of improving the physical properties of polyester, in which a vinyl group on the side chain of the polyester is used to permit a crosslinking reaction in the molecule of polyester.

SUMMARY OF THE INVENTION

[0015] As is evident from these conventional studies listed above, as the vinyl group is an unsaturated hydrocarbon group, the vinyl group shows a high reactivity in an addition reaction or the like and is capable of introducing various kinds of functional groups and conducting chemical conversion. Furthermore, the vinyl group on the side chain of the polymer would be a stepping stone to the crosslinking reaction of the polymer, i.e., a crosslinking point. Therefore, the vinyl group provided in the structural unit of PHA can be very useful for considering the range of applications of polymer as a functional material.

[0016] In each of these conventionally reported polyhydroxyalkanoates that contain structural units having vinyl groups on their side chains, the structural unit has a structure in which a vinyl group is substituted at the end of an alkyl side chain directly bonded to a polyhydroxyalkanoate main chain skeleton, for example, a 3-hydroxy- ω -vinyl-alkanoate unit. However, as with an alkyl chain on which a vinyl group is substituted at the end thereof, the thermal characteristics of polyhydroxyalkanoate having a side chain with a straight carbon chain skeleton are not always preferable (e.g., glass transition temperature and melting point are not generally so high) for melting process. For providing films, processed products, and so on, the number of existing materials having excellent desired characteristics is not always satisfactory. Furthermore, most of conventionally reported polyhydroxyalkanoates or the like containing a structural unit having a vinyl group on its side chain is generated as a copolymer also containing a 3-hydroxy-alkanoate unit having a straight alkyl side chain as an additional unit. Therefore, the content ratio of the additional 3-hydroxy-alkanoate unit is one of the factors that lower the processability.

[0017] By contrast, as described above, a high glass transition temperature can be generally observed in polyhydroxyalkanoate that contains a structural unit having an aromatic ring on its side chain because of the presence of the aromatic ring. Thus, the polyhydroxyalkanoate has good properties as a processed product.


[0018] In other words, for developing a novel functional polymer having an excellent processability it is desirable to utilize polyhydroxyalkanoate that contains a structural unit having both of a vinyl group and an aromatic ring on its side chain. Considering the enlargement of the field of applications and uses, it is also desirable to utilize a polyhydroxyalkanoate copolymer that contains an additional structural unit that is capable of controlling the physical properties (e.g., thermal properties) of polyhydroxyalkanoate in addition to a structural unit that contains both of an aromatic ring and a vinyl group on its side chain. However, heretofore, there is no report of a polyhydroxyalkanoate copolymer that contains in the same molecule an additional structural unit that is capable of regulating the physical properties (e.g., thermal properties) of polyhydroxyalkanoate in addition to a structural unit that contains both of an aromatic ring and a vinyl group on its side chain.

[0019] An object of the present invention is to provide a novel polyhydroxyalkanoate copolymer including: a structural unit having an aromatic ring and a vinyl group on its side chain; and another kind of structural unit capable of controlling physical properties (e.g., thermal properties) of the copolymer as an additional structural unit in the same molecule, and also provide a method of manufacturing such a novel copolymer.

[0020] As a result of intensive studies for solving the above problems, the present inventors have found that a copolymer having a high glass transition temperature and good properties as a processed product due to a benzene ring of 4-vinylphenyl group is obtained when a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit is employed as a structural unit contained in a polyhydroxyalkanoate copolymer, and in addition the copolymer becomes one capable of controlling its


physical properties such as thermal properties when it contains a 3-hydroxy- ω -substituted alkanoate unit obtained by substituting a group containing a ring structure selected from the group consisting of a phenyl structure, a thienyl structure, and a cyclohexyl structure for the end of its side chain. The present inventors have found that the vinyl group existing as a 4-vinylphenyl group can be used as a highly reactive atomic group at the time of an introduction of various kinds of functional groups, a chemical conversion, and a crosslinking reaction of polymer. Furthermore, the present inventors have also confirmed that it is possible to allow a microorganism having the ability of PHA production to produce a copolymer including a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit and a 3-hydroxy- ω -substituted alkanoate unit in the same molecule, which can be obtained by using (4-vinylphenyl)-alkanoic acid as a substrate-to be converted to the corresponding 3-hydroxy- ω -(4-vinylphenyl)-alkanoate acid unit and simultaneously using ω -substituted alkanoic acid, in which a group containing a ring structure selected from the group consisting of a phenyl structure, a thienyl structure, and a cyclohexyl structure is substituted at the end thereof, as a substrate to be converted to the corresponding 3-hydroxy- ω -substituted alkanoate unit. Based on these series of findings, the present invention has been ultimately completed.

[0021] That is, the present invention relates to a polyhydroxyalkanoate copolymer including in the same molecule: a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit represented by the general formula (1):




where n represents an integer of 0 to 7, and n independently represents the integer for each unit when the plural units are present; and

at least one unit selected from the group consisting of: a 3-hydroxy- ω -substituted alkanoate unit represented by the general formula (2):



where m represents an integer of 1 to 8 and R_1 represents a group having a residue with a ring structure selected from a phenyl structure and a thienyl structure; and


a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):



where R₂ represents a substituent for a cyclohexyl group and R₂ represents a hydrogen atom, a CN group, an NO₂ group, a halogen atom, a CH₃ group, a C₂H₅ group, a C₃H₇ group, a CF₃ group, a C₂F₅ group, or a C₃F₇ group, and k represents an integer of 0 to 8, in which m and R₁ independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (2) are present, and k and R₂ independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present.


[0022] According to one aspect of the present invention, the invention relates to a method of manufacturing a poly-hydroxyalkanoate copolymer that contains in the same molecule:

a 3-hydroxy-ω- (4-vinylphenyl) -alkanoate unit represented by the general formula (1):




where n represents an integer of 0 to 7, and n independently represents the integer for each unit when the plural units are present; and

at least one unit selected from the group consisting of: a 3-hydroxy-ω-substituted alkanoate unit represented by the general formula (19):



where s represents an integer of 1 to 8 and R₁₉ represents a group having a residue with a ring structure selected from

a phenyl structure and a thienyl structure; and
a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):




where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which s and R_{19} independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (19) are used, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present,

the method including:


allowing a microorganism capable of synthesizing the polyhydroxyalkanoate copolymer from a raw material to synthesize the polyhydroxyalkanoate by making the microorganism act on the raw material including:

(A) at least one ω -(4-vinylphenyl)-alkanoic acid represented by the following general formula (16):




where p represents an integer of 0 to 7; and

(B) at least one component selected from the group consisting of ω -substituted alkanoic acid represented by the general formula (17):




where q represents an integer of 1 to 8, and R_{17} represents a group containing a residue with a ring structure selected from a phenyl structure and a thienyl structure, and
 ω -cyclohexyl-alkanoic acid represented by the general formula (18):



where R_{18} represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and r represents an integer of 0 to 8.


[0023] According to another aspect of the present invention, the invention relates to a method of manufacturing a polyhydroxyalkanoate that contains in the same molecule:

at least a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit represented by the general formula (1):




where n represents an integer of 0 to 7, and n independently represents the integer for each unit when the plural units represented by the general formula (1) are present; and

at least one unit selected from the group consisting of a 3-hydroxy- ω -substituted alkanoate unit represented by the general formula (2):




where m represents an integer of 1 to 8, and R_1 represents a group containing a residue with a ring structure selected from a phenyl structure and a thienyl structure, and

a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):




where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which m and R_1 independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (2) are present, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present,


the R_1 containing at least a group selected from the group consisting of a substituted phenyl group represented by the following general formula (4'), an unsubstituted or substituted phenylsulfanyl group represented by the general formula (12), and an unsubstituted or substituted phenylsulfonyl group represented by the general formula (13):



where R'_3 represents COOR_4 (R_4 represents a hydrogen atom, a sodium atom, or a potassium atom);



where R_{13} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{14} , SO_2R_{15} (R_{14} represents H, Na, K, CH_3 , or C_2H_5 ; and R_{15} represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group; and




where R_{16} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{17} , SO_2R_{18} (R_{17} represents H, Na, K, CH_3 , or C_2H_5 ; and R_{18} represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group,


the method including one of the steps of:

(a) oxidizing a part of a vinyl group contained in a phenyl group of a group represented by the general formula (1) of a raw material to form the group represented by the general formula (4') as the R_1 , with the raw material including


a polyhydroxyalkanoate copolymer containing in the same molecule: two or more 3-hydroxy- ω -(4-vinylphenyl)-alkanoate units represented by the general formula (1):



where n represents an integer of 0 to 7, and n independently represents the integer for each unit; and at least one unit selected from the group consisting of a 3-hydroxy- ω -substituted alkanoate unit represented by the general formula (19):




where s represents an integer of 1 to 8 and R_{19} represents a group having a residue with a ring structure selected from a phenyl structure and a thienyl structure, and
a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):




where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which s and R_{19} independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (19) are present, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present; and
(b) selectively oxidizing -S- of the

substituent represented by the general formula (7) in a polyhydroxyalkanoate copolymer provided as a raw material to be converted to a group represented by the general formula (12) or a group represented by the general formula (13), with the polyhydroxyalkanoate copolymer containing in the same molecule: a 3-hydroxy- ω - (4-vinylphenyl)-alkanoate unit represented by the general formula (1):




where n represents an integer of 0 to 7, and n independently represents the integer for each unit when the plural units represented by the general formula (1) are present; and


at least one unit selected from the group consisting of a 3-hydroxy- ω -substituted alkanoate unit represented by the general formula (2):



where m represents an integer of 1 to 8, and R₁ represents an unsubstituted or substituted phenylsulfanyl group represented by the general formula (7):



where R₇ represents a hydrogen atom, a halogen atom, a CN group, an NO₂ group, COOR₈, SO₂R₉ (R₈ represents H, Na, K, CH₃, or C₂H₅, and R₉ represents OH, ONa, OK, a halogen atom, OCH₃, or OC₂H₅), a CH₃ group, a C₂H₅ group, a C₃H₇ group, a (CH₃)₂-CH group, or a (CH₃)₃-C group, and
a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):




where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which m and R_1 independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (2) are present, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present.

[0024] That is, the polyhydroxyalkanoate copolymer in accordance with the present invention includes: a unit component (i) composed of at least a 3-hydroxy- ω - (4-vinylphenyl)-alkanoate unit represented by the above general formula (1); and a unit component (ii) composed of at least one selected from the group consisting of a 3-hydroxy- ω -substituted alkanoate unit represented by the above general formula (2) and a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the above general formula (3) in the same molecule. That is, the polyhydroxyalkanoate copolymer in accordance with the present invention includes at least a 3-hydroxy- ω - (4-vinylphenyl) -alkanoate unit represented by the above general formula (1) as a unit component (i) and at least unit selected from the group consisting of a 3-hydroxy- ω -substituted alkanoate unit represented by the above general formula (2) and a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the above general formula (3) as a unit component (ii) in the same molecule. Here, if the unit component (i) contains two or more units, these units may include same or different units. If the unit component (ii) contains two or more units, furthermore, these units may include same or different units.


[0025] In the polyhydroxyalkanoate copolymer according to the present invention, it is preferable that the R_1 in the general formula (2) is a group selected from the group consisting of:

an unsubstituted or substituted phenyl group represented by the general formula (4):




where R_3 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, COOR_4 (R_4 represents a hydrogen atom, a sodium atom, or a potassium atom), a CF_3 group, a C_2F_5 group, or a C_3F_7 group;

an unsubstituted or substituted phenoxy group represented by the general formula (5):




where R_5 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, an SCH_3 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group;

an unsubstituted or substituted benzoyl group represented by the general formula (6):




where R_6 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group;

an unsubstituted or substituted phenylsulfanyl group represented by the general formula (7):




where R_7 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_8 , SO_2R_9 (R_8 represents H, Na, K, CH_3 , or C_2H_5 , and R_9 represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group;

an unsubstituted or substituted (phenylmethyl)-sulfanyl group represented by the general formula (8):




where R_{10} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{11} , SO_2R_{12} (R_{11} represents H, Na, K, CH_3 , or C_2H_5 , and R_{12} represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group;


a 2-thienyl group represented by the general formula (9) :




a 2-thienylsulfanyl group represented by the general formula (10):




a 2-thienylcarbonyl group represented by the general formula (11):




an unsubstituted or substituted phenylsulfanyl group represented by the general formula (12):




where R_{13} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{14} , SO_2R_{15} (R_{14} represents H, Na, K, CH_3 , or C_2H_5 ; and R_{15} represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group;
 an unsubstituted or substituted phenylsulfonyl group represented by the general formula (13):



where R_{16} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{17} , SO_2R_{18} (R_{17} represents H, Na, K, CH_3 , or C_2H_5 ; and R_{18} represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group; and
 a (phenylmethyl)oxy group represented by the general formula (14):




[0026] Further, in the polyhydroxyalkanoate copolymer according to the present invention, it is preferable that the 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit represented by the general formula (1) is a 3-hydroxy- ω -(4-vinylphenyl)-valerate unit represented by the following formula (15):



[0027] Further, among the copolymers of the present invention, the copolymer having the number average molecular weight of the polyhydroxyalkanoate copolymer in a range of 2,000 to 1,000,000 is more preferable.

[0028] Further, in the method of manufacturing a polyhydroxyalkanoate copolymer according to the present invention which utilizes microorganisms as described above, it is preferable that the R_{19} in the general formulae (17) and (19) is a group selected from the group consisting of:

an unsubstituted or substituted phenyl group represented by the general formula (20):



10 where R_{20} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group;
 an unsubstituted or substituted phenoxy group represented by the general formula (5);
 an unsubstituted or substituted benzoyl group represented by the general formula (6);
 an unsubstituted or substituted phenylsulfanyl group represented by the general formula (7);
 15 an unsubstituted or substituted (phenylmethyl)-sulfanyl group represented by the general formula (8);
 a 2-thienyl group represented by the general formula (9);
 a 2-thienylsulfanyl group represented by the general formula (10);
 a 2-thienylcarbonyl group represented by the general formula (11); and
 a (phenylmethyl)oxy group represented by the formula (14).

20 **[0029]** The above-described manufacturing method using a microorganism may preferably make use of a method of allowing the microorganism to synthesize the above polyhydroxyalkanoate copolymer by culturing the microorganism in a culture medium containing a raw material consisting of a monomer component.

25 **[0030]** Furthermore, individually for each of the steps (a) and (b), an oxidizing agent, which can be useful in manufacturing the polyhydroxyalkanoate copolymer having a desired configuration making use of the oxidation of a vinyl group substituted for a phenyl group in the unit represented by the above general formula (1) and/or the oxidation of a sulfanyl group (-S-) provided as a substituent represented by the above general formula (7), may include at least one selected from the group consisting of permanganate, dichromate, periodate, hydrogen peroxide, sodium percarbonate, metachloroperbenzoic acid, performic acid, and peracetic acid.

30 **[0031]** According to the present invention, in a polyhydroxyalkanoate copolymer, a unit having a side chain with a phenyl group as a structural unit thereof can be incorporated according to a desired molecular design. Therefore, it becomes possible to extremely enlarge the range of applications of the polyhydroxyalkanoate copolymers. For instance, it becomes possible to provide a novel material having biodegradability and ensured processability, or the like.

35 BRIEF DESCRIPTION OF THE DRAWINGS

[0032]

40 Fig. 1 shows an 1H -NMR spectrum of a polyhydroxyalkanoate copolymer obtained in Example 1;
 Fig. 2 shows an 1H -NMR spectrum of the polyhydroxyalkanoate copolymer obtained in Example 2;
 Fig. 3 shows an 1H -NMR spectrum of the polyhydroxyalkanoate copolymer obtained in Example 9;
 Fig. 4 shows an 1H -NMR spectrum of the polyhydroxyalkanoate copolymer obtained in Example 10;
 Fig. 5 shows an 1H -NMR spectrum of the polyhydroxyalkanoate copolymer obtained in Example 11;
 Fig. 6 shows an 1H -NMR spectrum of the polyhydroxyalkanoate copolymer obtained in Example 12; and
 45 Fig. 7 shows an 1H -NMR spectrum of the polyhydroxyalkanoate copolymer obtained in Example 13

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

50 **[0033]** A polyhydroxyalkanoate copolymer of the present invention includes in the same molecule: a 3-hydroxy- ω -substituted alkanoate unit provided as a second structural unit capable of controlling the physical properties such as thermal properties of the polyhydroxyalkanoate copolymer to be obtained, in addition to a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit provided as a first structural unit having both of an aromatic ring and a vinyl group on the side chain, where the 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit is represented by the general formula (1) and includes a 4-vinylphenyl group as a substituent on the end of its side chain, while the 3-hydroxy- ω -substituted alkanoate unit is represented by the general formula (2) or (3) and includes a group as a substituent containing a ring structure selected from a phenyl structure, a thienyl structure, or a cyclohexyl structure as a substituent on the end of its side chain. The presence of two kinds of structural units having ring structures on the ends thereof allows the resulting copolymer to keep characteristics, for example that a glass transition temperature is generally high and good properties as a proc-

essed product are achieved due to the aromatic ring, while showing various reactivities derived from the vinyl group. Therefore, the content ratio between the unit component (i) composed of at least one of the 3-hydroxy- ω -(4-vinylphenyl)-alkanoate units represented by the general formula (1) and the unit component (ii) composed of at least one of the 3-hydroxy- ω -substituted alkanoate units represented by the general formulae (2) or (3) can be appropriately selected depending on the selection of the degree to which various reactivities derived from the vinyl group are imparted in addition to the desired characteristics of the copolymer to be obtained (i.e., a high glass transition temperature and good properties as a processed product). Furthermore, other structural units such as a 3-hydroxy-alkanoate unit having no ring structure on its side chain may be secondarily contained in addition to the two structural units having ring structures as main components. For instance, the ratio between the unit component (i) and the unit component (ii) may be arbitrarily defined depending on the desired characteristics. Furthermore, under certain circumstances, the polyhydroxyalkanoate copolymer of the present invention may contain a straight-chain 3-hydroxy-alkanoate unit having 4 to 12 carbon atoms. In such a case, the percentage of such a unit is preferably 10% by unit or less.

[0034] As described above, the polyhydroxyalkanoate copolymer of the present invention may contain a plurality of 3-hydroxy- ω -(4-vinylphenyl)-alkanoate units represented by the general formula (1) having side chains with a single (i.e. uniform) carbon chain length (the value of n) or plural (i.e. different) carbon chain lengths. Similarly, it may contain 3-hydroxy- ω -substituted alkanoate units represented by the general formula (2) or (3) having side chains with a single carbon chain length (the value of m or k) or plural carbon chain lengths. Furthermore, it may contain 3-hydroxy- ω -substituted alkanoate units represented by the general formula (2) or (3) having a ring structure selected in common from a phenyl structure, a thienyl structure, or a cyclohexyl structure as the substituent at the end of a side chain. Alternatively, one unit may contain two or more ring structures having e.g. phenyl structures. Furthermore, the units may contain different ring structures selected among the phenyl, thienyl, and cyclohexyl structures.

[0035] The polyhydroxyalkanoate copolymer of the present invention can be available as one produced from a microorganism. In this case, using the microorganism, the structural units are respectively produced from corresponding substrates: a monomer component (A) consisting of at least one ω -(4-vinylphenyl)-alkanoic acid represented by the general formula (16) and a monomer component (B) consisting of at least one of ω -substituted alkanoic acid compounds represented by the general formulae (17) and (18), thereby achieving a copolymer. In the process of producing each structural unit with the microorganism, there is a case that the microorganism produces not only the 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit and the 3-hydroxy- ω -substituted alkanoate unit having the same number of carbon atoms in the alkanoic acid portion with respect to the corresponding substrates: ω -(4-vinylphenyl)-alkanoic acid represented by the general formula (16) and ω -substituted alkanoic acid compounds represented by the general formulae (17) and (18), but also another unit in which the carbon chain length of each side chain is shortened by two carbon atoms. Therefore, the polyhydroxyalkanoate copolymers in accordance with the present invention include the copolymers containing these related structural units incidentally produced from microorganisms. The polyhydroxyalkanoate copolymer of the present invention produced from the microorganism is produced as an optically active substance as the 3'-carbon atom of each structural unit is an asymmetric carbon atom. Specifically, in the polyhydroxyalkanoate copolymer of the present invention produced from the microorganism, the absolute configuration of the 3'-carbon atom in each structural unit may have the configuration of the R-isomer in any case. Thus, the polyhydroxyalkanoate copolymer of the present invention produced from the microorganism shows its biodegradability based on the above absolute configuration, so that an advantage thereof is a wide range of applications of the novel material in addition to its biocompatibility.

[0036] The method of manufacturing a polyhydroxyalkanoate copolymer in accordance with the present invention utilizes a microorganism to produce a desired copolymer using the monomer components (A) and (B) described above as raw materials thereof. For the production, generally, it is preferable that these raw material components are added into a culture medium and the microorganism to be used is cultured on the culture medium. The culture conditions of the microorganism for the process of manufacturing the polyhydroxyalkanoate copolymer of the present invention will be described in detail below.

[0037] The culture medium for culturing the microorganism is prepared by adding the various required substrate and nutritional elements as described below in an inorganic-salt medium based on a phosphate buffer solution with ammonium salt or nitrate salt.

[0038] The content ratio of the substrate to a medium for the production of the desired polyhydroxyalkanoate (i.e., a raw material including the above monomer components (A) and (B)) may be preferably in the range of 0.01% to 1% (w/v), more preferably in the range of 0.02% to 0.2% (w/v) per medium.

[0039] Coexistent substrate is added to the medium as a carbon source for the growth of microorganism and an energy supplying source for the production of polyhydroxyalkanoate. In general, the concentration of the coexistent substrate may be preferably in the range of 0.1% to 5% (w/v), more preferably in the range of 0.2% to 2% (w/v) per medium. That is, as a substance to be used as the above coexistent substrate, at least one selected from peptides, yeast extract, organic acids and salts thereof, amino acids and salts thereof, sugars, and straight-chain alkanoic acids having 4 to 12 carbon atoms and salts thereof may be added in the medium. In this case, it is preferable that the

addition is performed within a range in which the concentration of the selected substances in total conforms to the above concentration.

[0040] For instance, polypeptone may be preferably contained in the medium as one of the above peptides. In addition, the medium may preferably contain yeast extract. As the organic acid and salts, at least one or more organic acids and salts thereof selected from the group consisting of pyruvic acid, oxalacetic acid, citric acid, isocitric acid, ketoglutaric acid,

succinic acid, fumaric acid, malic acid, lactic acid, and salts of these organic acids may be preferably used. As the amino acids and the salts thereof, at least one or more amino acids or salts thereof selected from the group consisting of glutamic acid, aspartic acid, and salts of these amino acids may be preferably used. As the sugars, at least one or more sugars selected from the group consisting, for example, of glyceraldehyde, erythrose, arabinose, xylose, glucose, galactose, mannose, fructose, glycerol, erythritol, xylitol, gluconic acid,

glucuronic acid, galacturonic acid, maltose, sucrose, and lactose may be preferably used. Furthermore, the media containing the straight-chain alkanolic acids having 4 to 12 carbon atoms or salts thereof may be also used.

[0041] In the manufacturing method of the present invention, the medium to be used in the process of culturing the microorganism may be any medium as far as it is an inorganic-salt medium that contains phosphate and a nitrogen source such as ammonium salt, or nitrate. In the process of producing PHA from the microorganism, it is also possible to increase the productivity of PHA by adjusting the concentration of the nitrogen source in the medium.

[0042] The microorganism may be cultured at any temperature as far as it is preferable for the growth of its strain to be used. Generally, such a culture temperature may be appropriately in the range of about 15°C to 37°C, preferably in the range of about 20°C to 30°C.

[0043] Any culture method, such as liquid culture or solid culture, may be applied in the present invention as far as the microorganism can be grown to produce PHA. Furthermore, various kinds of culture methods such as batch culture, fed-batch culture, semi-continuous culture, and continuous culture may be applied in the present invention. As a form of the liquid batch culture, there are several oxygen-supplying methods. For instance, the supply of oxygen is performed by shaking the medium in a shake flask in a shaking incubator or the like, or by stirring the medium for aeration in a jar fermenter.

[0044] As a means for allowing the microorganism to produce and accumulate PHA, in addition to the method described above, the productivity of PHA per microorganism may be improved as a whole by transferring the microorganism into a culture where the nitrogen source such as ammonium chloride is restricted after once sufficiently growing the microorganism and then further culturing the microorganism in the presence of a compound to be used as a substrate of the desired structural unit.

[0045] Furthermore, in the manufacturing method of the present invention, in addition to the steps of culturing the microorganism under the conditions described above and allowing the microorganism to produce the desired copolymer, an additional step of collecting a polyhydroxyalkanoate copolymer from the cultured microbial cell may be preferably included. In this case, the polyhydroxyalkanoate copolymer is produced from the microorganism, and includes the 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit represented by the above general formula (1) and the 3-hydroxy- ω -substituted alkanoate unit represented by the above general formula (2) or (3), which are coexisting in the same molecule.

[0046] The polyhydroxyalkanoate copolymer of the present invention is generally accumulated in the body of microorganism having the ability of PHA production. As a method of collecting the objective PHA from the microbial cells, any method generally conducted in the art may be applied. For example, the simplest method is a method of extracting PHA using an organic solvent such as chloroform, dichloromethane, or acetone. Instead of the above solvents, dioxane, tetrahydrofuran, acetonitrile, or the like may be used. Under the work environment in which the use of any organic solvent is objectionable, instead of the solvent extraction method, the microbial cells may be chemically broken by the treatment with a surfactant such as SDS, an enzyme such as lysozyme, chemicals such as hypochlorite, ammonia, or EDTA, or may be physically broken by ultrasonic disintegration, homogenization, pressure crushing, bead impact, trituration, grinding, or freeze and thawing method, followed by removing undesired microbial components except for the objective PHA.

[0047] The microorganism to be used in the method of manufacturing the copolymer of the present invention is principally one having the ability of PHA production. That is, the desired microorganism may be any microorganism as far as it is capable of producing PHA type polyester that includes a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit represented by the general formula (1) when it is cultured in a culture medium containing ω -(4-vinylphenyl) alkanolic acid represented by the general formula (16). Furthermore, it is preferable to select the microorganism having the ability of PHA copolymer production depending on the species of monomer to be used as a raw material.

[0048] For instance, the utilizable microorganisms having the ability of PHA production preferably include those belonging to the genus of *Pseudomonas*. Among them, more preferable strains to be used for the manufacturing method of the present invention are those having the ability of PHA production but having no enzymatic reactivity which causes the vinyl group being substituted on the phenyl group to oxidize or epoxidize it.

[0049] More specifically, among the microorganisms belonging to the genus of *Pseudomonas*, more preferable species to be used in the manufacturing method of the present invention include *Pseudomonas cichorii*, *Pseudomonas putida*, *Pseudomonas fluorescense*, *Pseudomonas oleovorans*, *Pseudomonas aeruginosa*, *Pseudomonas stutzeri*, *Pseudomonas jessenii*, and so on.

[0050] Furthermore, for example, more preferable strains include, *Pseudomonas cichorii* YN2 strain; FERM BP-7375, *Pseudomonas cichorii* H45 strain; FERM BP-7374, *Pseudomonas jessenii* P161 strain; FERM BP-7376, and *Pseudomonas putida*-P91 strain; FERM BP-7373. These four strains are those being deposited to the International Patent Organism Depository (IPOD), National Institute of Advanced Industrial Science and Technology (AIST), Japan, and also described in Japanese Patent Application Laid-Open No. 2001-288256.

[0051] Each of these microorganisms has the ability of using ω -substituted straight-chain alkanolic acid as a raw material in which a six-membered ring atomic group selected from a substituted or unsubstituted phenyl group, a substituted or unsubstituted phenoxy group, and a substituted or unsubstituted cyclohexyl group is substituted at the end of the chain to produce polyhydroxyalkanoate containing a corresponding ω -substituted-3-hydroxy-alkanoate as a monomer unit.

[0052] Note that, in the manufacturing method of the present invention, the culture of microorganism, PHA production from the microorganism and accumulation in the microbial body, and the collection of PHA from the microbial body are not limited to the method described above.

[0053] As an example of the inorganic-salt culture medium to be used in the manufacturing method of the present invention, the composition of the inorganic-salt culture medium (M9 culture medium) to be used in the examples described below is as follows (per liter of the medium).

(Composition of M9 culture medium)	
Na ₂ HPO ₄	6.3 g
KH ₂ PO ₄	3.0 g
NH ₄ Cl	1.0 g
NaCl	0.5 g
Water (pH = 7.0)	Remainder

[0054] Furthermore, for attaining a favorable growth of microbial body and the improvement in the productivity of PHA accompanied therewith, there is a need for an addition of an essential trace element such as an essential trace metal element in an appropriate amount to an inorganic-salt culture medium such as M9 culture medium. The addition of a trace component solution having the following composition by about 0.3% (v/v) is substantially effective. The addition of such a trace component solution supplies a trace metal element or the like to be used for the growth of the microorganism.

(Composition of trace component solution (per liter))	
Nitrilotriacetic acid	1.5 g
MgSO ₄	3.0 g
MnSO ₄	0.5 g
NaCl	1.0 g
FeSO ₄	0.1 g
CaCl ₂	0.1 g
CoCl ₂	0.1 g
ZnSO ₄	- 0.1 g
CuSO ₄	0.1 g
AlK(SO ₄) ₂	0.1 g
H ₃ BO ₃	0.1 g
Na ₂ MoO ₄	0.1 g
NiCl ₂	0.1 g
Water	Remainder

[0055] In the group represented by the chemical formula (4), a group having a carboxyl group on a benzene ring can be produced by selectively performing an oxidative cleavage on a double bonded portion of a vinyl group substituted for a phenyl group on the end of the side chain in the unit represented by the general formula (1) and a polyhydroxy-

alkanoate copolymer is obtained in which the group represented by the chemical formula (4) including a group containing a carboxyl group in its benzene ring. At this time, the unit represented by the general formula (1), which is an essential unit component, can remain as it is by preventing all of vinyl groups in the unit represented by the general formula (1) from being oxidized by selecting appropriate reaction conditions.

[0056] Such an oxidation reaction can be conducted using an oxidizing agent. Utilizable oxidizing agents include, for example, permanganate, bichromate, periodate, hydrogen peroxide, sodium percarbonate, metachloroperbenzoic acid, ozone, performic acid, and peracetic acid.

[0057] Furthermore, as a preferable method for the oxidative cleavage of the carbon-carbon double bond to obtain carboxylic acid using such an oxidizing agent as described above, methods known in the art include, for example, a method using permanganate ("J. Chem. Soc., Perkin. Trans." 1, 806 (1973)), a method using bichromate ("Org. Synth.", 4, 698 (1963)), a method using periodate ("J. Org. Chem.", 46, 19 (1981)), a method using nitric acid (Japanese Patent Application La-d-Open No. 59-190945), and a method using ozone ("J. Am. Chem. Soc.", 81, 4273 (1959)). For polyhydroxyalkanoate, "Macromolecular chemistry", 4, 289-293 (2001) mentioned above describes a method of obtaining a carboxylic acid by initiating the reaction of a carbon-carbon double bond at the end of the side chain in polyhydroxyalkanoate using potassium permanganate as an oxidizing agent under acidic condition. In the present invention, such a method can be available.

[0058] In general, potassium permanganate is used as permanganate to be used as an oxidizing agent. Since the oxidative cleavage reaction is a stoichiometric reaction, the usage amount of the permanganate may be typically less than 1 mole equivalent per mole of the unit represented by the chemical formula (1).

Considering the efficiency of reaction, alternatively, the usage amount of the permanganate may be also 1 mole equivalent or more.

[0059] For setting the reaction system under acidic condition, various kinds of organic and inorganic acids can be generally used. Such acids include sulfuric acid, hydrochloric acid, acetic acid, nitric acid, and so on. However, when the acid of sulfuric acid, nitric acid, hydrochloric acid, or the like is used, a decrease in molecular weight tends to occur because of cleavage of an ester bond of the main chain of polyhydroxyalkanoate. Therefore, it is preferable to use acetic acid. The usage amount of the acid is generally in the range of 0.2 to 200 mole equivalent, preferably in the range of 0.4 to 100 mole equivalent per mole of the unit represented by the chemical formula (1). If it is less than 0.2 mole equivalent, the yield is lowered. If it is higher than 200 mole equivalent, a resolvent is caused as a by-product by the acid. Therefore, both cases are not preferable. Furthermore, for promoting the reaction, crown ether may be used. In this case, the crown ether and the permanganate form a complex, resulting in an effect of increasing the reaction activity. As the crown ether, in general, dibenzo-18-crown-6-ether, dicyclo-18-crown-6-ether, or 18-crown-6-ether is used. It is desired that the usage amount of the crown ether is generally in the range of 1.0 to 2.0 mole equivalent, preferably in the range of 1.0 to 1.5 mole equivalent per mole of permanganate.

[0060] A solvent to be used in the oxidative cleavage reaction of the present invention is not specifically limited as far as it is a solvent inactive to the reaction. Utilizable solvents include, for example, water, acetone, ethers such as tetrahydrofuran and dioxane, aromatic hydrocarbons such as benzene, toluene, and xylene, aliphatic hydrocarbons such as hexane and heptane, halogenated hydrocarbons such as methyl chloride, dichloromethane, and chloroform. Among these solvents, considering the solubility of polyhydroxyalkanoate, the halogenated hydrocarbons such as methyl chloride, dichloromethane, and chloroform may be preferably used.

[0061] In the above oxidative cleavage reaction of the present invention, the polyhydroxyalkanoate copolymer containing the unit represented by the chemical formula (1), the permanganate, and the acid may be collectively mixed together with the solvent for reaction from the beginning, or successively or intermittently added in a reaction system to initiate the reaction. Alternatively, only the permanganate may be dissolved or suspended in the solvent in advance, followed by successively or intermittently adding the polyhydroxyalkanoate copolymer and the acid into the reaction system to initiate the reaction. Also, only the polyhydroxyalkanoate copolymer may be dissolved or suspended in the solvent in advance, followed by successively or intermittently adding the permanganate or the like into the reaction system to initiate the reaction. Otherwise, only the polyhydroxyalkanoate copolymer and the acid may be dissolved or suspended in the solvent in advance, followed by successively or intermittently adding the permanganate in the reaction system to initiate the reaction.

Furthermore, only the permanganate and the acid may be dissolved or suspended into the solvent in advance, followed by successively or intermittently adding the polyhydroxyalkanoate copolymer into the reaction system to initiate the reaction. Furthermore, only the polyhydroxyalkanoate copolymer and the permanganate may be dissolved or suspended in the solvent in advance, followed by successively or intermittently adding the acid in the reaction system to initiate the reaction.

[0062] The reaction temperature may be generally in the range of -20°C to 40°C, preferably 0°C to 30°C. The reaction time depends on a stoichiometric mixture ratio between the unit represented by the chemical formula (1) and the permanganate and a reaction temperature. In general, however, the reaction time may be 2 to 48 hours.

[0063] A polyhydroxyalkanoate copolymer that contains a phenylsulfinyl group represented by the general formula

(12) or a phenylsulfonyl group represented by the general formula (13) can be prepared by selectively oxidizing a sulfur portion of a phenylsulfanyl group represented by the general formula (7).

[0064] Such an oxidation treatment can be performed by a method using an oxidizing agent selected from the group consisting of permanganate, dichromate, periodate, hydrogen peroxide, sodium percarbonate, metachloroperbenzoic acid, ozone, performic acid, and peracetic acid. As a preferable oxidizing agent, for example, any peroxide compound can be used as far as it contributes to the oxidation of a sulfanyl group (-S-). In the case of considering the efficiency of oxidation, an influence upon the main chain skeleton of polyhydroxyalkanoate, the simplicity of treatment, and so on, in particular, it is preferable to use a peroxide compound selected from the group consisting of hydrogen peroxide, sodium percarbonate, metachloroperbenzoic acid, performic acid, and acetic peracid.

[0065] A description will be made first on an oxidation treatment using hydrogen peroxide, which is a simple treating method among them. The easiest treating method using the hydrogen peroxide includes: culturing the microorganisms under the culture conditions described above; suspending the microorganism cells having accumulated thereon a polyhydroxyalkanoate copolymer including the group represented by the general formula (7), which is a polyhydroxyalkanoate copolymer of the present invention, in a hydrogen peroxide solution as it is, followed by treating the microbial bodies by heating and stirring them for a predetermined period of time if required; and collecting the objective polyhydroxyalkanoate copolymer as an insoluble component. If the concentration of the hydrogen peroxide is comparatively high or the reaction temperature is comparatively high, an insoluble component derived from the microbial cells, such as a cell membrane fraction, is oxidized and is then decomposed and solubilized, collecting a polyhydroxyalkanoate copolymer of the present invention in a substantially pure form as an insoluble component. On the other hand, under mild conditions, the insoluble component cannot be sufficiently decomposed and solubilized. In some cases, therefore, the step of fragmenting living cells derived from the microbial cells may partially remain.

[0066] In the case of utilizing the mild conditions, it is possible to use a method including: fragmenting cultured microorganism cells in advance; removing an insoluble component derived from the microbial cells; collecting a crude polyhydroxyalkanoate copolymer that contains the group represented by the general formula (7) which is the polyhydroxyalkanoate copolymer of the present invention; and treating the crude copolymer with a hydrogen peroxide solution. Such a method including the steps of previously fragmenting cultured microorganism cells and separating and collecting the polyhydroxyalkanoate copolymer permits the collection of polyhydroxyalkanoate copolymer with a sufficiently high purity even at the time of treatment with a hydrogen peroxide solution under comparatively mild conditions.

[0067] In the method of manufacturing the polyhydroxyalkanoate copolymer of the present invention, the step of fragmenting the living cells may be preferably performed by means of ultrasonic disintegration, homogenization, pressure crushing, bead impact, trituration, grinding (cells are ground out in a mortar with an auxiliary agent such as glass powders or alumina powders therein), or freeze and thawing method, without using any chemical for breaking the cell membranes. After the step of fragmenting the living cells, a re-suspended solution of the separated insoluble components is further fractionated into a solid component and a soluble component by means of centrifugal separation or the like. Subsequently, only the solid component that contains a polyhydroxyalkanoate copolymer component is treated with hydrogen peroxide.

[0068] Furthermore, as an alternative method of separating a polyhydroxyalkanoate copolymer, there is a method in which only a resulting polyhydroxyalkanoate copolymer is collected by the treatment with hydrogen peroxide after the steps of extraction and isolation. In other words, it is possible to use means for extracting and isolating only a polyhydroxyalkanoate copolymer from microorganism cells in which the polyhydroxyalkanoate copolymer is being accumulated after the culture step using a solvent for the accumulated polyhydroxyalkanoate copolymer, such as chloroform, dichloromethane, or acetone. In the method using such a solvent extraction, the polyhydroxyalkanoate copolymer extracted and collected from microorganism cells tends to aggregate in massive form in an aqueous medium where the copolymer is treated with hydrogen peroxide. When the polyhydroxyalkanoate copolymer occurs in massive form, it becomes hindrance to make contact with a peroxide compound such as hydrogen peroxide. In many cases, operational difficulty and complexity are involved, so that for example the efficiency of the oxidizing reaction may remarkably decrease. From this viewpoint, in each of the two methods described above, the polyhydroxyalkanoate copolymer is originally present in finely particulate form in the microorganism cells. While keeping such a state, the finely-powdered polyhydroxyalkanoate copolymer being suspended in water can be subjected to a treatment with hydrogen peroxide. Therefore, the methods can be more easily and efficiently operable.

[0069] In the method of manufacturing a polyhydroxyalkanoate copolymer of the present invention, hydrogen peroxide used as an oxidizing agent may be of any form as far as it is able to oxidize a sulfanyl group (-S-). In terms of controlling the manufacturing process, the hydrogen peroxide may be preferably provided as one being dissolved in an aqueous medium, such as a solution containing stable hydrogen peroxide (e.g., an aqueous hydrogen peroxide). For instance, a hydrogen peroxide solution based on JIS K-8230, which can be industrially producible in an enormous quantity in a stable manner, should be recommended. For instance, the aqueous hydrogen peroxide (containing 31% hydrogen peroxide) manufactured by Mitsubishi Gas Chemical Co., Inc., is a preferable hydrogen peroxide solution in the method of the present invention.

[0070] In the method of manufacturing a polyhydroxyalkanoate copolymer of the present invention, the conditions for the oxidation treatment with hydrogen peroxide may be varied depending on the state of the polyhydroxyalkanoate copolymer to be treated (e.g., the presence or absence of microbial components, and the occurrence in massive form or finely particulate form). However, the conditions for the oxidation treatment with hydrogen peroxide may be preferably selected almost within the following ranges. In general, when the remaining amount of the microbial component is small or when the polyhydroxyalkanoate copolymer is in finely particulate form, the undesired microbial component can be easily oxidized and solubilized, and the polyhydroxyalkanoate copolymer in finely particulate form itself can be more quickly treated. Therefore, the mild conditions can be applied. At the time of using the aqueous hydrogen peroxide (containing 31% hydrogen peroxide) based on JIS K-8230, the dilution condition (concentration), the usage amount, the treating temperature, the time period of treatment, and so on can be selected within the ranges described below.

[0071] The concentration of hydrogen peroxide in the treating solution is in the range of 8% (about four fold dilution) to 31% (undiluted solution), preferably in the range of 16% (about two fold dilutions) to 31% (undiluted solution), depending on the reaction temperature. The reaction amount is, depending on the ratio of the group represented by the general formula (7) contained in the polyhydroxyalkanoate copolymer, in the range of 30 mL to 500 mL, preferably in the range of 100 mL to 300 mL with reference to 1g of the polyhydroxyalkanoate copolymer before the treatment, on the basis of the undiluted aqueous hydrogen peroxide (containing 31% hydrogen peroxide). The reaction temperature is, depending on the concentration of the polyhydroxyalkanoate copolymer in the treatment solution, in the range of 30°C to 100°C, preferably in the range of 80°C to 100°C. The reaction time is, depending on the reaction temperature, in the range of 10 to 180 minutes, preferably in the range of 30 to 120 minutes.

[0072] In the above ranges of the conditions, the treatment with hydrogen peroxide permits the conversion of a polyhydroxyalkanoate copolymer containing the group represented by the general formula (7) and being accumulated in the body of a microorganism to a polyhydroxyalkanoate copolymer containing a group represented by the general formulae (12) and (13) in its polymer molecule. In this case, the reaction conditions for the hydrogen peroxide treatment are appropriately selected to adjust the reaction rate and reaction amount of oxidation to allow the control of an abundance ratio of each of the groups (7), (12), and (13) to the others.

[0073] Next, a description will be made of another method in which metachloroperbenzoic acid (MCPBA) is used as a peroxide compound.

[0074] The use of MCPBA allows the oxidation of a sulfanyl group (-S-) being present as a phenylsulfanyl group to proceed stoichiometrically, so that the containing ratio between the groups represented by the general formulae (12) and (13) can be easily controlled. Furthermore, the reaction conditions are mild, so that undesired secondary reactions such as a cleavage of a polyhydroxyalkanoate main chain skeleton and a crosslinking reaction of active portions are hardly occurred. Therefore, in the method of manufacturing a polyhydroxyalkanoate copolymer in accordance with the present invention, metachloroperbenzoic acid (MCPBA) is one of substantially favorable peroxide compounds for manufacturing an objective polyhydroxyalkanoate copolymer with high selectivity.

[0075] As the general reaction conditions of the selective oxidation of sulfanyl groups (-S-) to sulfinyl groups (-SO-), a slightly excess amount of MCPBA (i.e., 1.1 to 1.4 moles) per mole of the unit containing the sulfanyl group (-S-) in the polyhydroxyalkanoate copolymer is subjected to a reaction in chloroform at a temperature of 0°C to 30°C. In the range of these reaction conditions, the oxidation proceeds up to about 90% of theoretical level when the reaction time is set to about 10 hours. In addition, the oxidation can proceed up to almost 100% of theoretical level when the reaction time is set to about 20 hours.

[0076] For oxidizing all of the sulfanyl groups (-S-) to sulfonyl groups (-SO₂-), slightly more than 2 mol of MCPBA (i.e., 2.1 to 2.4 moles) per mole of the unit containing the sulfanyl group (-S-) in the polyhydroxyalkanoate copolymer may be reacted under the same conditions (the solvent, the reaction temperature, and the reaction time) as described above.

[0077] The polyhydroxyalkanoate copolymer to be manufactured by the method of the present invention may include a unit having a carboxyl group or a unit having a sulfinyl structure (-SO-) and a sulfonyl structure (-SO₂-) in its polymer molecule. In these structures, there is a possibility that the localization of electrons in the molecule at the end of the unit may be strongly facilitated and the electrical properties thereof may be substantially different from those of the conventional polyhydroxyalkanoate. Such localization of electrons also allows the behavior to the solvent to be different from that of the conventional polyhydroxyalkanoate. For instance, it becomes possible to dissolve the polyhydroxyalkanoate of the present invention in a polar solvent such as dimethylformamide (DMF). In addition, the thermal characteristics can be substantially controlled. In particular, an increase in a glass transition temperature originated from a hydrogen bond is significant. Therefore, it becomes possible to use in a wide range of applications.

[0078] Both the above-described two oxidation treatments, i.e., the oxidation treatment on a vinyl group and the oxidation treatment on a sulfanyl group, may be both performed on the same raw material.

[0079] Hereinafter, a description will be made of the present invention more specifically with reference to examples thereof. Here, these examples are only provided for illustrating one of preferred embodiments of the present invention. Therefore, the present invention is not limited to the configurations of these examples.


(Example 1)

[0080] A culture medium, which contains 5-(4-vinylphenyl)-valeric acid provided as ω -(4-vinylphenyl)-alkanoic acid represented by the general formula (16), 5-phenyl-valeric acid provided as ω -substituted alkanic acid represented by the general formula (17), and further, polypeptone provided as peptides, was prepared by the following procedures. 5.0 g of polypeptone (commercially available from Wako Pure Chemical Industries, Ltd.) and 0.9 g of 5-phenyl-valeric acid were dissolved in 1,000 ml of the M9 culture medium and the resultant solution was then charged into a shaking flask (2,000 ml volume), followed by autoclave sterilization. After the heat sterilization, the flask was cooled to room temperature. Furthermore, 0.2 g of 5-(4-vinylphenyl)-valeric acid was added to the flask and the mixture was stirred well. Consequently, a culture medium was prepared.

[0081] Previously, a 0.5% polypeptone-containing M9 culture medium was inoculated with a *Pseudomonas cichorii* YN2 strain and was then shake-cultured at 30°C for 8 hours. Consequently, a microbial culture solution was prepared. 5 ml of the microbial culture solution was added to the above-mentioned culture medium containing substrates, 5-(4-vinylphenyl)-valeric acid and 5-phenyl-valeric acid. Then, the mixed culture medium was cultured at 30°C for 40 hours. After the culture, the microbial cells were collected by centrifugation and were then washed with methanol, followed by freeze-drying.

[0082] After measuring the dry weight of the microbial cells, chloroform was added. Then, the mixture was stirred at 25°C for 72 hours to extract polymer accumulated in the microbial cells. The chloroform solution having dissolved therein the extracted polymer was filtrated. The resulting chloroform filtrate was condensed by an evaporator, followed by re-dissolving the polymer in acetone and removing an insoluble fraction by filtration. Subsequently, the filtrate was condensed by the evaporator and was then precipitated and solidified with cold methanol. The solidified precipitate was collected and was dried under reduced pressure. Consequently, the objective polymer was collected. The dry weight of the polymer collected from the above-mentioned collection step was measured.

[0083] The structure of the collected polymer was determined using $^1\text{H-NMR}$ (FT-NMR: Bruker DPX400; ^1H resonance frequency: 400 MHz; nuclide measured: ^1H ; solvent used: CDCl_3 ; reference: capillary-encapsulated TMS/ CDCl_3 ; measuring temperature: room temperature). The collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (21) at a content ratio of A:B:C = 1:81:18 (% by mole).



[0084] In addition, the average molecular weight of the polymer was measured using a gel permeation chromatography (trade name: HLC-8220 GPC, commercially available from Tosoh Corporation; column: TSK-Gel Super HM-H, Tosoh Corporation; solvent: chloroform; polymer standard: polystyrene)

[0085] In Table 1, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.

Table 1

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
873	418	47.9	5.0	13.5	2.7
CDW: dry weight of microbial cells					
PDW: dry weight of polymer					

Table 1 (continued)

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
P/C: dry weight of polymer/dry weight of microbial cells					
Mn: number average molecular weight					
Mw: weight average molecular weight					
Mw/Mn: molecular weight distribution					

[0086] The glass transition temperature (T_g) of the obtained polymer was measured using a differential scanning calorimeter (trade name: DSC, commercially available from Perkin Elmer Co., Ltd.). The measurement was performed by increasing the temperature from 25°C to 60°C at a heating rate of 20°C/minute, decreasing the temperature from 60°C to -50°C at a cooling rate of 20°C/minute, and then increasing the temperature again from -50°C to 200°C at a heating rate of 20°C/minute. As a result, T_g was observed approximately at a temperature of 17°C to 20°C.


(Example 2)

[0087] A culture medium, which contains 5-(4-vinylphenyl)-valeric acid provided as ω -(4-vinylphenyl)-alkanoic acid represented by the general formula (16), 5-phenyl-valeric acid provided as ω -substituted alkanic acid represented by the general formula (17), and further, polypeptone provided as peptides, was prepared by the following procedures. 1.0 g of polypeptone (commercially available from Wako Pure Chemical Industries, Ltd.) and 0.19 g of 5-phenyl-valeric acid were dissolved in 200 ml of the M9 culture medium and the resultant solution was then charged into a shaking flask (500 ml volume), followed by autoclave sterilization. After the heat sterilization, the flask was cooled to room temperature. Furthermore, 0.20 g of 5-(4-vinylphenyl)-valeric acid was added to the flask and the mixture was stirred well. Consequently, a culture medium was prepared.

[0088] Previously, a 0.5% polypeptone-containing M9 culture medium was inoculated with a *Pseudomonas cichorii* YN2 and was then shake-cultured at 30°C for 8 hours. Consequently, a microbial culture solution was prepared. 1 ml of the microbial culture solution was added to the above-mentioned culture medium containing substrates, 5-(4-vinylphenyl)-valeric acid and 5-phenyl-valeric acid. Then, the mixed culture medium was cultured at 30°C for 40 hours. After the culture, the microbial cells were collected by centrifugation and were then washed with methanol, followed by freeze-drying.

[0089] After measuring the dry weight of the microbial cells, chloroform was added. Then, the mixture was stirred at 25°C for 72 hours to extract polymer accumulated in the microbial cells. The chloroform solution having dissolved therein the extracted polymer was filtrated. The resulting chloroform filtrate was condensed by an evaporator, followed by re-dissolving the polymer in acetone and removing an insoluble fraction by filtration. Subsequently, the filtrate was condensed by the evaporator and was then precipitated and solidified with cold methanol. The solidified precipitate was collected and was dried under reduced pressure. Consequently, the desired polymer was collected. The dry weight of the polymer collected from the above-mentioned collection step was measured.

[0090] The structure of the collected polymer was determined using ¹H-NMR (FT-NMR: Bruker DPX400; ¹H resonance frequency: 400 MHz; nuclide measured: ¹H; solvent used: DMSO-d₆; reference: capillary-encapsulated TMS/CDCl₃; measuring temperature: room temperature). The collected polymer was found to be a polyhydroxyalkanoate copolymer containing two units represented by the following formula (22) at a content ratio of A:B = 33:67 (% by mole).



In addition, the average molecular weight of the polymer was measured by the method using the gel permeation chro-

matography described in Example 1.

[0091] In Table 2, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.


Table 2

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
940	249	26.5	3.2	10.1	3.2
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

(Example 3)

[0092] In this example, the production of polymer was performed by the same steps under the same conditions as those of Example 1, except that the strain P161 was used as the microorganism instead of the YN2 strain used in Example 1.

[0093] The structure of the collected polymer was determined by $^1\text{H-NMR}$ measurement just as in the case with Example 1. The collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (23) at a content ratio of A:B:C = 2:78:20 (% by mole).



In addition, the average molecular weight of the polymer was measured by the method using the gel permeation chromatography described in Example 1.

[0094] In Table 3, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.


Table 3

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
708	288	40.7	3.6	8.2	2.3
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

(Example 4)

[0095] In this example, the production of polymer was performed by the same steps under the same conditions as those of Example 1, except that the H45 strain was used as the microorganism instead of the YN2 strain used in Example 1.

[0096] The structure of the collected polymer was determined by $^1\text{H-NMR}$ measurement just as in the case with Example 1. The collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (24) at a content ratio of A:B:C = 1:82:17 (% by mole).



In addition, the average molecular weight of the polymer was measured by the method using the gel permeation chromatography described in Example 1.

[0097] In Table 4, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.


Table 4

CDW (mg/L)	PDW (mg/L)	P/C (%)	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
669	211	31.5	4.2	9.9	2.4
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

(Example 5)

[0098] In this example, the production of polymer was performed by the same steps under the same conditions as those of Example 1, except that the H45 strain was used as the microorganism instead of the YN2 strain used in Example 1, and that 5.0 g of yeast extract (trademark: BACTO, manufactured by Difco Ltd.) was added instead of polypeptone to a culture medium.

[0099] The structure of the collected polymer was determined by $^1\text{H-NMR}$ measurement just as in the case with Example 1. The collected polymer was found to be a polyhydroxyalkanoate copolymer containing two units represented by the following formula (25) at a content ratio of A:B = 81:19 (% by mole).



In addition, the average molecular weight of the polymer was measured by the method using the gel permeation chromatography described in Example 1.

[0100] In Table 5, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.


Table 5

CDW (mg/L)	PDW (mg/L)	P/C %	Mn (x10 ⁴)	Mw (x10 ⁴)	Mw/Mn
462	132	28.6	5.1	11.3	2.2
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

(Example 6)

[0101] In this example, the production of polymer was performed by the same steps under the same conditions as those of Example 1, except that 5.0 g of D-glucose was added to a culture medium instead of polypeptone added thereto in Example 1.

[0102] The structure of the collected polymer was determined by ¹H-NMR measurement just as in the case with Example 1. The collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (26) at a content ratio of A:B:C = 1:79:20 (% by mole).



In addition, the average molecular weight of the polymer was measured by the method using the gel permeation chromatography described in Example 1.

[0103] In Table 6, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight

of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.


Table 6

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
796	401	50.4	5.1	12.9	2.5
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

(Example 7)

[0104] In this example, the production of polymer was performed by the same steps under the same conditions as those of Example 1, except that 5.0 g of sodium pyruvate that is water-soluble salt of organic acid was added to a culture medium instead of polypeptone added thereto in Example 1.

[0105] The structure of the collected polymer was determined by $^1\text{H-NMR}$ measurement just as in the case with Example 1. The collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (27) at a content ratio of A:B:C = 2:79:19 (% by mole).



In addition, the average molecular weight of the polymer was measured by the method using the gel permeation chromatography described in Example 1.

[0106] In Table 7, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.


Table 7

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$) $\times 10^4$	Mw ($\times 10^4$) $\times 10^4$	Mw/Mn
822	412	50.1	4.9	13.0	2.7
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

(Example 8)

[0107] In this example, the production of polymer was performed by the same steps under the same conditions as those of Example 1, except that 5.0 g of sodium glutamate that is water-soluble salt of amino acid was added to a culture medium instead of polypeptone added thereto in Example 1.

[0108] The structure of the collected polymer was determined by ¹H-NMR measurement just as in the case with Example 1. The collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (28) at a content ratio of A:B:C = 1:83:16 (% by mole).



In addition, the average molecular weight of the polymer was measured by the method using the gel permeation chromatography described in Example 1.

[0109] In Table 8, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.

Table 8

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$) $\times 10^4$	Mw ($\times 10^4$) $\times 10^4$	Mw/Mn
776	389	50.1	5.0	12.2	2.4
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

(Example 9)


[0110] A culture medium, which contains 5-(4-vinylphenyl)-valeric acid provided as ω -(4-vinylphenyl)-alkanoic acid represented by the general formula (16), 5-phenoxy-valeric acid provided as ω -substituted alkanoic acid represented by the general formula (17), and further, polypeptone provided as peptides, was prepared by the following procedures. 5.0 g of polypeptone (commercially available from Wako Pure Chemical Industries, Ltd.), 0.21 g of 5-(4-vinylphenyl)-valeric acid, and 1.16 g of 5-phenoxy-valeric acid were dissolved in 1,000 ml of the M9 culture medium and the resultant solution was then charged into a shaking flask (2,000 ml volume), followed by subjecting to autoclave sterilization. After the heat sterilization, the flask was cooled to room temperature. Consequently, a culture medium was prepared.

[0111] Previously, a 0.5% polypeptone-containing M9 culture medium was inoculated with *Pseudomonas cichorii* YN2 and was then shake-cultured at 30°C for 8 hours. Consequently, a microbial culture solution was prepared. 10 ml of the microbial culture solution was added to the above culture medium containing substrates, 5-(4-vinylphenyl)-valeric acid and 5-phenoxy-valeric acid. Then, the mixed culture medium was cultured at 30°C for 40 hours. After the culture, the microbial cells were collected by centrifugation and were then washed with methanol, followed by freeze-drying.

[0112] After measuring the dry weight of the microbial cells, chloroform was added. Then, the mixture was stirred at

35°C for 17 hours to extract polymer accumulated in the microbial cells. The chloroform solution having dissolved therein the extracted polymer was filtrated. The resulting chloroform filtrate was condensed by an evaporator, followed by re-dissolving the polymer in acetone and removing an insoluble fraction by filtration. Subsequently, the filtrate was condensed by the evaporator and was then precipitated and solidified with cold methanol. The solidified precipitate was collected and was dried under reduced pressure. Consequently, the objective polymer was collected. The dry weight of the polymer collected from the above collection step was measured.

[0113] The structure of the collected polymer was determined using ¹H-NMR (FT-NMR: Bruker DPX400; ¹H resonance frequency: 400 MHz; nuclide measured: ¹H; solvent used: CDCl₃; reference: capillary-encapsulated TMS/CDCl₃; measuring temperature: room temperature). ¹H-NMR spectrum thereof is shown in Fig. 3. As a result, the collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units-represented by the following formula (29) at a content ratio of D:E:F = 8:69:23 (% by mole).



[0114] In Table 9, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, and the weight ratio of the collected polymer per dried microbial cell are listed together.

Table 9

CDW (mg/L)	PDW (mg/L)	P/C %
590	192	32.5
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells		


(Example 10)

[0115] A culture medium, which contains 5-(4-vinylphenyl)-valeric acid provided as ω-(4-vinylphenyl)-alkanoic acid represented by the general formula (16), 5-(phenylsulfanyl)-valeric acid provided as ω-substituted alkanolic acid represented by the general formula (17), and further, polypeptone provided as peptides, was prepared by the following procedures. 5.0 g of polypeptone (commercially available from Wako Pure Chemical Industries, Ltd.), 0.21 g of 5-(4-vinylphenyl)-valeric acid and 1.28 g of 5-(phenylsulfanyl)-valeric acid were dissolved in 1,000 ml of the M9 culture medium and the resultant solution was then charged into a shaking flask (2,000 ml volume), followed by autoclave sterilization. After the heat sterilization, the flask was cooled to room temperature to prepare the culture medium.

[0116] Previously, a 0.5% polypeptone-containing M9 culture medium was inoculated with a *Pseudomonas cichorii* YN2 strain and was then shake-cultured at 30°C for 8 hours. Consequently, a microbial culture solution was prepared. 10 ml of the microbial culture solution was added to the above culture medium containing substrates, 5-(4-vinylphenyl) valeric acid and 5-(phenylsulfanyl)-valeric acid. Then, the mixed culture medium was cultured at 30°C for 38 hours. After the culture, the microbial cells were collected by centrifugation and were then washed with methanol, followed by freeze-drying.

[0117] After measuring the dry weight of the microbial cells, chloroform was added. Then, the mixture was stirred at 35°C for 17 hours to extract polymer accumulated in the microbial cells. The chloroform solution having dissolved therein the extracted polymer was filtrated. The resulting chloroform filtrate was condensed by an evaporator, followed by re-dissolving the polymer in acetone and removing an insoluble fraction by filtration. Subsequently, the filtrate was condensed by the evaporator and was then precipitated and solidified with cold methanol. The solidified precipitate was collected and was dried under reduced pressure. Consequently, the objective polymer was collected. The dry weight of the polymer collected from the above collection step was measured.

[0118] The structure of the collected polymer was determined using ¹H-NMR (FT-NMR: Bruker DPX400; ¹H resonance frequency: 400 MHz; nuclide measured: ¹H; solvent used: CDCl₃; reference: capillary-encapsulated TMS/CDCl₃; measuring temperature: room temperature). ¹H-NMR spectrum thereof is shown in Fig. 4. As a result, the collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (30) at a content ratio of G:H:I = 10:70:20 (% by mole).



[0119] In addition, the average molecular weight of the polymer was measured using a gel permeation chromatography (trade name: HLC-8220 GPC, commercially available from Tosoh Corporation; column: TSK-Gel Super HM-H, Tosoh Corporation; solvent: chloroform; polymer standard: polystyrene)

[0120] In Table 10, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.

Table 10

CDW (mg/L)	PDW (mg/L)	P/C %	Mn (x10 ⁴)	Mw (x10 ⁴)	Mw/Mn
917	369	40.2	4.8	12.3	2.5
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

[0121] The glass transition temperature (T_g) of the obtained polymer was measured using a differential scanning calorimeter (trade name: Pyris 1, commercially available from Perkin Elmer Co., Ltd.). The measurement was performed by increasing the temperature from -50°C to 200°C at a heating rate of 20°C/minute, decreasing the temperature from 200°C to -50°C at a cooling rate of 20°C/minute, and then increasing the temperature again from -50°C to 200°C at a heating rate of 20°C/minute. As a result, T_g was observed approximately at a temperature of 8°C.


(Example 11)

[0122] A culture medium, which contains 5-(4-vinylphenyl)-valeric acid provided as ω -(4-vinylphenyl)-alkanoic acid represented by the general formula (16), 4-cyclohexyl-butyric acid provided as ω -substituted alkanolic acid represented by the general formula (18), and further, polypeptone provided as peptides, was prepared by the following procedures. 1.0 g of polypeptone (commercially available from Wako Pure Chemical Industries, Ltd.), 0.041 g of 5-(4-vinylphenyl)-valeric acid, and 0.204 g of 4-cyclohexyl-butyric acid were dissolved in 200 ml of the M9 culture medium and the resultant solution was then charged into a shaking flask (500 ml volume), followed by autoclave sterilization. After the heat sterilization, the flask was cooled to room temperature. Consequently, a culture medium was prepared.

[0123] The above culture medium containing substrates, 5-(4-vinylphenyl)-valeric acid and 4-cyclohexyl-butyric acid was inoculated with a *Pseudomonas cichorii* YN2 strain. Then, the mixed culture medium was cultured at 30°C for 41 hours. After the culture, the microbial cells were collected by centrifugation and were then washed with methanol, followed by freeze-drying.

[0124] After weighing the dry weight of the microbial cells, 20 ml of chloroform was added. Then, the mixture was stirred at 35°C for 15 hours to extract polymer accumulated in the microbial cells. The chloroform solution having dissolved therein the extracted polymer was filtrated. The resulting chloroform filtrate was condensed by an evaporator. Subsequently, the filtrate was precipitated and solidified with cold methanol. The solidified precipitate was collected and was dried under reduced pressure. Consequently, the objective polymer was collected. The dry weight of the polymer collected from the above collection step was measured.

[0125] The structure of the collected polymer was determined using $^1\text{H-NMR}$ (FT-NMR: Bruker DPX400; ^1H resonance frequency: 400 MHz; nuclide measured: ^1H ; solvent used: CDCl_3 ; reference: capillary-encapsulated TMS/ CDCl_3 ; measuring temperature: room temperature). $^1\text{H-NMR}$ spectrum thereof is shown in Fig. 5. As a result, the collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (31) at a content ratio of J:K = 37:63 (% by mole).



[0126] In addition, the average molecular weight of the polymer was measured using a gel permeation chromatography (trade name: HLC-8220 GPC, commercially available from Tosoh Corporation; column: TSK-Gel Super HM-H, Tosoh Corporation; solvent: chloroform; polymer standard: polystyrene)

[0127] In Table 11, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.

Table 11

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
724	159	22.0	5.4	12.3	2.3
CDW: dry weight of microbial cells					
PDW: dry weight of polymer					
P/C: dry weight of polymer/dry weight of microbial cells					

Table 11 (continued)

CDW (mg/L)	PDW (mg/L)	P/C %	Mn (X10 ⁴)	Mw (x10 ⁴)	Mw/Mn
Mn: number average molecular weight					
Mw: weight average molecular weight					
Mw/Mn: molecular weight distribution					


(Example 12)

[0128] A culture medium, which contains 5-(4-vinylphenyl)-valeric acid provided as ω -(4-vinylphenyl)-alkanoic acid represented by the general formula (16), 5-benzoyl-valeric acid provided as ω -substituted alkanoic acid represented by the general formula (17), and further, polypeptone provided as peptides, was prepared by the following procedures. 1.0 g of polypeptone (commercially available from Wako Pure Chemical Industries, Ltd.), 0.041 g of 5-(4-vinylphenyl)-valeric acid, and 0.247 g of 5-benzoyl-valeric acid were dissolved in 200 ml of the M9 culture medium and the resultant solution was then charged into a shaking flask (500 ml volume), followed by autoclave sterilization. After the heat sterilization, the flask was cooled to room temperature. Consequently, a culture medium was prepared.

[0129] The above culture medium containing substrates, 5-(4-vinylphenyl)-valeric acid and 5-benzoyl-valeric acid was inoculated with a *Pseudomonas cichorii* YN2 strain. Then, the mixed culture medium was cultured at 30°C for 41 hours. After the culture, the microbial cells were collected by centrifugation and were then washed with methanol, followed by freeze-drying.

[0130] After measuring the dry weight of the microbial cells, 20 ml of chloroform was added. Then, the mixture was stirred at 35°C for 15 hours to extract polymer accumulated in the microbial cells. The chloroform solution having dissolved therein the extracted polymer was filtrated. The resulting chloroform filtrate was condensed by an evaporator. Subsequently, the filtrate was precipitated and solidified with cold methanol. The solidified precipitate was collected and was dried under reduced pressure. Consequently, the objective polymer was collected. The dry weight of the polymer collected from the above collection step was measured.

[0131] The structure of the collected polymer was determined using ¹H-NMR (FT-NMR: Bruker DPX400; ¹H resonance frequency: 400 MHz; nuclide measured: ¹H; solvent used: CDCl₃; reference: capillary-encapsulated TMS/CDCl₃; measuring temperature: room temperature). ¹H-NMR spectrum thereof is shown in Fig. 6. As a result, the collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (32) at a content ratio of L:M:N = 18:48:34 (% by mole).



[0132] In addition, the average molecular weight of the polymer was measured using a gel permeation chromatography (trade name: HLC-8220 GPC, commercially available from Tosoh Corporation; column: TSK-Gel Super HM-H, Tosoh Corporation; solvent: chloroform; polymer standard: polystyrene).

[0133] In Table 12, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.

Table 12

CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
726	208	28.7	11.0	36.3	3.3

CDW: dry weight of microbial cells
 PDW: dry weight of polymer
 P/C: dry weight of polymer/dry weight of microbial cells
 Mn: number average molecular weight
 Mw: weight average molecular weight
 Mw/Mn: molecular weight distribution


(Example 13)

[0134] A culture medium, which contains 5-(4-vinylphenyl)-valeric acid provided as ω -(4-vinylphenyl)-alkanoic acid represented by the general formula (16), 5-(2-thienyl)-valeric acid provided as ω -substituted alkanoic acid represented by the general formula (17), and further, polypeptone provided as peptides, was prepared by the following procedures. 1.0 g of polypeptone (commercially available from Wako Pure Chemical Industries, Ltd.), 0.041 g of 5-(4-vinylphenyl)-valeric acid, and 0.221 g of 5-(2-thienyl)-valeric acid were dissolved in 200 ml of the M9 culture medium and the resultant solution was then charged into a shaking flask (500 ml volume), followed by autoclave sterilization. After the heat sterilization, the flask was cooled to room temperature. Consequently, a culture medium was prepared.

[0135] The above culture medium containing substrates, 5-(4-vinylphenyl)-valeric acid and 5-(2-thienyl)-valeric acid was inoculated with a *Pseudomonas cichorii* YN2 strain. Then, the mixed culture medium was incubated at 30°C for 41 hours. After the culture, the microbial cells were collected by centrifugation and were then washed with methanol, followed by freeze-drying.

[0136] After weighing the dry weight of the microbial cells, 20 ml of chloroform was added. Then, the mixture was stirred at 35°C for 15 hours to extract polymer accumulated in the microbial cells. The chloroform solution having dissolved therein the extracted polymer was filtrated. The resulting chloroform filtrate was condensed by an evaporator, and was then precipitated and solidified with cold methanol. The solidified precipitate was collected and was dried under reduced pressure. Consequently, the desired polymer was collected. The dry weight of the polymer collected from the above collection step was measured.

[0137] The structure of the collected polymer was determined using $^1\text{H-NMR}$ (FT-NMR: Bruker DPX400; ^1H resonance frequency: 400 MHz; nuclide measured: ^1H ; solvent used: CDCl_3 ; reference: capillary-encapsulated TMS/ CDCl_3 ; measuring temperature: room temperature). $^1\text{H-NMR}$ spectrum thereof is shown in Fig. 7. As a result, the collected polymer was found to be a polyhydroxyalkanoate copolymer containing three units represented by the following formula (33) at a content ratio of O:P:Q = 4:79:17 (% by mole).



[0138] In addition, the average molecular weight of the polymer was measured using a gel permeation chromatog-

raphy (trade name: HLC-8220 GPC, commercially available from Tosoh Corporation; column: TSK-Gel Super HM-H, Tosoh Corporation; solvent: chloroform; polymer standard: polystyrene)

[0139] In Table 13, the dry weight of the microbial cells obtained through the above-mentioned steps, the dry weight of the collected polymer, the weight ratio of the collected polymer per dried microbial cell, and the number average molecular weight, the weight average molecular weight, and the molecular weight distribution of the obtained polymer are listed together.

Table 13


CDW (mg/L)	PDW (mg/L)	P/C %	Mn ($\times 10^4$)	Mw ($\times 10^4$)	Mw/Mn
898	485	54.0	7.4	19.2	2.6
CDW: dry weight of microbial cells PDW: dry weight of polymer P/C: dry weight of polymer/dry weight of microbial cells Mn: number average molecular weight Mw: weight average molecular weight Mw/Mn: molecular weight distribution					

[0140] The polyhydroxyalkanoate copolymer in accordance with the present invention is a novel polyhydroxyalkanoate copolymer containing: a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit in which a 4-vinylphenyl group is substituted for the end of the side chain, as a unit having an aromatic ring and a vinyl group on its side chain; and a 3-hydroxy- ω -substituted alkanoate unit, in which a group containing a phenyl, thiophene, or cyclohexyl structure is substituted at the end of the side chain, as an additional structural unit. These two structural units are provided as main structural components, so that in general the resulting copolymer has a high glass transition temperature and maintains its satisfactory processed-product properties, which are due to the presence of the aromatic ring, and also has various reactivities, which are due to the presence of the vinyl group in the 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit. In addition, the method of manufacturing a polyhydroxyalkanoate copolymer in accordance with the present invention utilizes a microorganism to produce the copolymer as a microorganism-produced polyhydroxyalkanoate copolymer using a corresponding ω -(4-vinylphenyl)-alkanoic acid and ω -substituted alkanoic acid in which a group containing a phenyl, thiophene, or cyclohexyl structure is substituted at the end of the side chain as raw materials. The microorganism-produced polyhydroxyalkanoate copolymer contains structural unit, each having the 3' carbon atom provided as an asymmetric center. Therefore, the copolymer can be produced as an optically active substance. Specifically, in the polyhydroxyalkanoate copolymer of the present invention produced from a microorganism, the absolute configuration on the 3' carbon of each structural unit has the configuration of the R isomer. The microorganism-produced polyhydroxyalkanoate copolymer of the present invention is biodegradable due to such an absolute configuration, so that such an advantage allows the novel material to be used in a wide range of applications in addition to the biological compatibilities thereof.


Claims

1. A polyhydroxyalkanoate copolymer comprising in the same molecule:


a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit represented by the general formula (1):



where n represents an integer of 0 to 7, and n independently represents the integer for each unit when the plural units are present; and
 at least one unit selected from the group consisting of: a 3-hydroxy- ω -substituted alkanooate unit represented by the general formula (2):



where m represents an integer of 1 to 8, and R_1 represents a group having a residue with a ring structure selected from a phenyl structure and a thienyl structure; and
 a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):




where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which m and R_1 independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (2) are present, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present.

2. A polyhydroxyalkanoate copolymer according to claim 1, wherein:


the R_1 is a group selected from the group consisting of:

an unsubstituted or substituted phenyl group represented by the general formula (4):




where R_3 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, COOR_4 (R_4 represents a hydrogen atom, a sodium atom, or a potassium atom), a CF_3 group, a C_2F_5 group, or a C_3F_7 group;

an unsubstituted or substituted phenoxy group represented by the general formula (5):




where R_5 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, an SCH_3 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group;

an unsubstituted or substituted benzoyl group represented by the general formula (6):




where R_6 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group;

an unsubstituted or substituted phenylsulfanyl group represented by the general formula (7):




where R_7 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_8 , SO_2R_9 (R_8 represents H, Na, K, CH_3 , or C_2H_5 , and R_9 represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group;

an unsubstituted or substituted (phenylmethyl)-sulfanyl group represented by the general formula (8):




where R_{10} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{11} , SO_2R_{12} (R_{11} represents H, Na, K, CH_3 , or C_2H_5 , and R_{12} represents OH, ONa, OK, a halogen atom, OCH_3 , or

OC₂H₅), a CH₃ group, a C₂H₅ group, a C₃H₇ group, a (CH₃)₂-CH group, or a (CH₃)₃-C group;
a 2-thienyl group represented by the general formula (9):




10

a 2-thienylsulfanyl group represented by the general formula (10):




20

a 2-thienylcarbonyl group represented by the general formula (11):




30

an unsubstituted or substituted phenylsulfanyl group represented by the general formula (12):



40


where R₁₃ represents a substituent for an aromatic ring and R₁₃ represents a hydrogen atom, a halogen atom, a CN group, an NO₂ group, COOR₁₄, SO₂R₁₅ (R₁₄ represents H, Na, K, CH₃, or C₂H₅, and R₁₅ represents OH, ONa, OK, a halogen atom, OCH₃, or OC₂H₅), a CH₃ group, a C₂H₅ group, a C₃H₇ group, a (CH₃)₂-CH group, or a (CH₃)₃-C group;
an unsubstituted or substituted phenylsulfonyl group represented by the general formula (13):



50


where R₁₆ represents a hydrogen atom, a halogen atom, a CN group, an NO₂ group, COOR₁₇, SO₂R₁₈ (R₁₇ represents H, Na, K, CH₃, or C₂H₅, and R₁₈ represents OH, ONa, OK, a halogen atom, OCH₃, or OC₂H₅), a CH₃ group, a C₂H₅ group, a C₃H₇ group, a (CH₃)₂-CH group, or a (CH₃)₃-C group; and
a (phenylmethyl)oxy group represented by the general formula (14):

55



3. A polyhydroxyalkanoate copolymer according to claim 1, wherein:

the 3-hydroxy- ω - (4-vinylphenyl)-alkanoate unit represented by the general formula (1) is a 3-hydroxy- ω - (4-vinylphenyl) -valerate unit represented by the following formula (15):




4. A polyhydroxyalkanoate copolymer according to claim 1, wherein:


the number average molecular weight of the polyhydroxyalkanoate copolymer is in a range of 2,000 to 1,000,000.

5. A method of manufacturing a polyhydroxyalkanoate copolymer that contains in the same molecule:


a 3-hydroxy- ω - (4-vinylphenyl)-alkanoate unit represented by the general formula (1):



where n represents an integer of 0 to 7, and n independently represents the integer for each unit when the plural units are present; and
 at least one unit selected from the group consisting of: a 3-hydroxy- ω -substituted alkanooate unit represented by the general formula (19):



where s represents an integer of 1 to 8, and R_{19} represents a group having a residue with a ring structure selected from a phenyl structure and a thienyl structure; and
 a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):




where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which s and R_{19} independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (19) are used, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present,

the method comprising:

allowing a microorganism capable of synthesizing the polyhydroxyalkanoate copolymer from a raw ma-


terial to synthesize the polyhydroxyalkanoate by making the microorganism act on the raw material including:

(A) at least one ω -(4-vinylphenyl)-alkanoic acid represented by the following general formula (16):




where p represents an integer of 0 to 7; and

(B) at least one component selected from the group consisting of ω -substituted alkanolic acid represented by the general formula (17):



where q represents an integer of 1 to 8, and R_{17} represents a group containing a residue with a ring structure selected from a phenyl structure and a thienyl structure, and ω -cyclohexyl-alkanoic acid represented by the general formula (18):




where R_{18} represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and r represents an integer of 0 to 8.

6. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 5, wherein:


each of the R_{17} and the R_{19} is a group selected from the group consisting of:

an unsubstituted or substituted phenyl group represented by the general formula (20):




where R_{20} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group;

an unsubstituted or substituted phenoxy group represented by the general formula (5):




10 where R_5 represents a substituent for an aromatic ring and R_5 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, an SCH_3 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and R_5 independently represents the substituent for each unit when the plural units are present;

an unsubstituted or substituted benzoyl group represented by the general formula (6):




where, R_6 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group;

an unsubstituted or substituted phenyl-sulfanyl group represented by the general formula (7):




35 where R_7 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_8 , SO_2R_9 (R_8 represents H, Na, K, CH_3 , or C_2H_5 , and R_9 represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group;

an unsubstituted or substituted (phenylmethyl)-sulfanyl group represented by the general formula (8):




where R_{10} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{11} , SO_2R_{12} (R_{11} represents H, Na, K, CH_3 , or C_2H_5 , and R_{12} represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group;


a 2-thienyl group represented by the general formula (9):




a 2-thienylsulfanyl group represented by the general formula (10):



a 2-thienylcarbonyl group represented by the general formula (11):



and
a (phenylmethyl)oxy group represented by the general formula (14):



7. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 5, wherein:

the microorganism is cultured in a culture medium containing the raw material to allow the microorganism to synthesize the polyhydroxyalkanoate copolymer.

8. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 7, wherein:

the culture medium further contains at least one selected from peptides, yeast extract, organic acids and salts thereof, amino acids and salts thereof, sugars, and straight-chain alkanolic acids having 4 to 12 carbon atoms and salts thereof.

9. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 8, wherein:

polypeptone is provided as the peptides;

the organic acids and the salts thereof are each one or more compounds selected from the group consisting of pyruvic acid, oxalacetic acid, citric acid, isocitric acid, ketoglutaric acid, succinic acid, fumaric acid, malic acid, lactic acid, and salts thereof;

the amino acids and the salts thereof are each one or more compounds selected from the group consisting of glutamic acid, aspartic acid, and salts thereof; and

the sugars are one or more compounds selected from the group consisting of glyceraldehyde, erythrose, arabinose, xylose, glucose, galactose, mannose, fructose, glycerol, erythritol, xylitol, gluconic acid, glucuronic acid, galacturonic acid, maltose, sucrose, and lactose.

10. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 5, further comprising:

collecting the polyhydroxyalkanoate copolymer synthesized by the microorganism from microbial cells of the microorganism.

11. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 5, wherein:


the microorganism comprises a microorganism belonging to the genus *Pseudomonas*.

12. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 11, wherein:

the microorganism includes at least one strain selected from the group consisting of:


Pseudomonas cichorii YN2 strain, FERM BP-7375;
Pseudomonas cichorii H45 strain, FERM BP-7374;
Pseudomonas jessenii P161 strain, FERM BP-7376; and
Pseudomonas putida P91 strain, FERM BP-7373.

13. A method of manufacturing a polyhydroxyalkanoate that contains in the same molecule: at least a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit represented by the general formula (1) :




where n represents an integer of 0 to 7, and n independently represents the integer for each unit when the plural units represented by the general formula (1) are present; and


at least one unit selected from the group consisting of a 3-hydroxy- ω -substituted alkanoate unit represented by the general formula (2),




where m represents an integer of 1 to 8, and R₁ represents a group containing a residue with a ring structure selected from a phenyl structure and a thienyl structure, and a 3-hydroxy- ω -cyclohexyl-alkanoate acid unit represented by the general formula (3):




where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which m and R_1 independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (2) are present, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present, the R_1 containing at least a group selected from the group consisting of a substituted phenyl group represented by the following general formula (4'), an unsubstituted or substituted phenylsulfinyl group represented by the general formula (12), and an unsubstituted or substituted phenylsulfonyl group represented by the general formula (13):



where R_3' represents COOR_4 (R_4 represents a hydrogen atom, a sodium atom, or a potassium atom);




where R_{13} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{14} , SO_2R_{15} (R_{14} represents H, Na, K, CH_3 , or C_2H_5 , and R_{15} represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group; and




where R_{16} represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_{17} , SO_2R_{18} (R_{17} represents H, Na, K, CH_3 , or C_2H_5 , and R_{18} represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{-CH}$ group, or a $(\text{CH}_3)_3\text{-C}$ group, the method comprising one of the steps of:

- (a) oxidizing a part of a vinyl group contained in a phenyl group of a group represented by the general formula (1) of a raw material to form the group represented by the general formula (4') as the R_1 , with the raw material including a polyhydroxyalkanoate copolymer containing in the same molecule: two or more


3-hydroxy- ω -(4-vinylphenyl)-alkanoate units represented by the general formula (1):



where n represents an integer of 0 to 7, and n independently represents the integer for each unit; and at least one unit selected from the group consisting of a 3-hydroxy- ω -substituted alkanoate unit represented by the general formula (19):




where s represents an integer of 1 to 8 and R_{19} represents a group having a residue with a ring structure selected from a phenyl structure and a thienyl structure, and a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):




where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which s and R_{19} independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (19) are present, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present; and

(b) selectively oxidizing -S- of the substituent represented by the general formula (7) in a polyhydroxyalkanoate copolymer provided as a raw material to be converted to a group represented by the general formula (12) or a group represented by the general formula (13), with the polyhydroxyalkanoate copolymer containing in the same molecule:


a 3-hydroxy- ω -(4-vinylphenyl)-alkanoate unit represented by the general formula (1):




where n represents an integer of 0 to 7, and n independently represents the integer for each unit when the plural units represented by the general formula (1) are present; and at least one unit selected from the group consisting of a 3-hydroxy- ω -substituted alkanoate unit represented by the general formula (2):



where m represents an integer of 1 to 8, and R_1 represents an unsubstituted or substituted phenylsulfanyl group represented by the general formula (7):



where R_7 represents a hydrogen atom, a halogen atom, a CN group, an NO_2 group, COOR_8 , SO_2R_9 (R_8 represents H, Na, K, CH_3 , or C_2H_5 , and R_9 represents OH, ONa, OK, a halogen atom, OCH_3 , or OC_2H_5), a CH_3 group, a C_2H_5 group, a C_3H_7 group, a $(\text{CH}_3)_2\text{CH}$ group, or a $(\text{CH}_3)_3\text{C}$ group, and a 3-hydroxy- ω -cyclohexyl-alkanoate unit represented by the general formula (3):



where R_2 represents a substituent for a cyclohexyl group and R_2 represents a hydrogen atom, a CN group, an NO_2 group, a halogen atom, a CH_3 group, a C_2H_5 group, a C_3H_7 group, a CF_3 group, a C_2F_5 group, or a C_3F_7 group, and k represents an integer of 0 to 8, in which m and R_1 independently represent the integer and the group, respectively, for each unit when the plural units represented by the general formula (2) are present, and k and R_2 independently represent the integer and the substituent, respectively, for each unit when the plural units represented by the general formula (3) are present.

14. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 13, wherein:

the oxidation in the step (a) and the oxidation in the step (b) are independently performed using at least one oxidizing agent selected from the group consisting of permanganate, dichromate, periodate, hydrogen peroxide, sodium percarbonate, metachloroperbenzoic acid, performic acid, and peracetic acid.

15. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 14, wherein:

the oxidation in each of the step (a) and the step (b) is performed using permanganate under acidic conditions.

16. A method of manufacturing a polyhydroxyalkanoate copolymer according to claim 13, wherein:

the oxidation in each of the step (a) and the step (b) is performed using ozone.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 03 00 4350

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A,P	EP 1 236 752 A (CANON KK) 4 September 2002 (2002-09-04) * claims 1,2; examples 21,22 * * page 22, line 1-25 * ---	1-16	C08G63/06 C12P7/62
A,P	EP 1 188 782 A (CANON KK) 20 March 2002 (2002-03-20) * claim 29; examples 21,22 * * page 22, line 1-23 * ---	1-16	
A	ULMER ET AL: "Bacterial Production of Poly(beta-hydroxyalkanoates) Containing Unsaturated Repeating Units by Rhodospirillum rubrum" MACROMOLECULES, vol. 27, 1994, pages 1675-1679, XP002237749 * the whole document * ---	1-16	
A	ANDUJAR ET AL: "Polyesters Produced by Pseudomonas oleovorans Containing Cyclohexyl Groups" MACROMOLECULES, vol. 30, 1997, pages 1611-1615, XP002237750 * the whole document * ---	1-16	TECHNICAL FIELDS SEARCHED (Int.Cl.7) C08G C12P
A	CURLEY ET AL: "Production of Poly(3-hydroxyalkanoates) Containing Aromatic Substituents by Pseudomonas oleovorans" MACROMOLECULES , vol. 29, 1996, pages 1762-1766, XP002237751 * the whole document * --- -/--	1-16	
The present search report has been drawn up for all claims			
Place of search MUNICH		Date of completion of the search 9 April 2003	Examiner Kositza, M
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03.82 (P04C01)



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 03 00 4350

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	STEINBUECHEL A ET AL: "DIVERSITY OF BACTERIAL POLYHYDROXYALKANOIC ACIDS" FEMS MICROBIOLOGY LETTERS, AMSTERDAM, NL, vol. 128, no. 3, 15 May 1995 (1995-05-15), pages 219-228, XP000828495 ISSN: 0378-1097 * the whole document * -----	1-16	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
The present search report has been drawn up for all claims			
Place of search MUNICH		Date of completion of the search 9 April 2003	Examiner Kositza, M
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 03 00 4350

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

09-04-2003

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 1236752	A	04-09-2002	JP	2002327048 A	15-11-2002
			EP	1236752 A2	04-09-2002
			US	2003059907 A1	27-03-2003

EP 1188782	A	20-03-2002	JP	2002241476 A	28-08-2002
			JP	2003047494 A	18-02-2003
			EP	1188782 A2	20-03-2002
			US	2002160467 A1	31-10-2002

EPO FORM P0489

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82